

## Safety data sheet

Printing date: 17.11.2014



According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1</b>	<b>Product Identifier</b>	<b>Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM</b>
	<b>GHS Product Identifier</b>	<b>Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM</b>
	<b>Chemical Name</b>	Fired Ceramic Mass Finishing Media
	<b>Trade Name</b>	See Product Identifier
	<b>CAS No.</b>	Not available
	<b>EINECS No.</b>	Not available
	<b>REACH Registration No.</b>	Not available
<b>1.2</b>	<b>Relevant Identified Uses Of The Substance Or Mixture And Uses Advised Against</b>	
	Application of the substance / the mixture	Preparation of ceramic parts and coatings
<b>1.3</b>	<b>Details Of The Supplier Of The Safety Data Sheet</b>	
	Company Identification	<b>Washington Mills Electro Minerals Corp.</b>
	Address	1801 Buffalo Avenue Niagara Falls, NY 14302
	Telephone	(716) 278-6600
	E-Mail (Competent Person)	<a href="mailto:info@washingtonmills.com">info@washingtonmills.com</a>
<b>1.4</b>	<b>Emergency Telephone Number – ChemTel</b>	
	<b>(800)255-3924 (USA/Canada), 813-248-0585 (International)</b>	

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1</b>	<b>Classification Of The Substance Or Mixture</b>	
<b>2.1.1</b>	<b>Classification according to Regulation (EC) No. 1272/2008 (CLP)</b>	
	The product is not classified as hazardous according to the Globally Harmonized System (GHS). The product is not classified as hazardous according to the CLP regulation.	
<b>2.1.2</b>	<b>Classification according to Directive 67/548/EEC &amp; Directive 1999/45/EC – Not applicable.</b>	
	<b>Information concerning particular hazards for human and environment:</b>	
	The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.	
	<b>Classification system:</b>	
	The classification is according to the latest editions of the EU-lists, and extended by company and literature data.	
	The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.	
<b>2.2</b>	<b>Label Elements</b>	
<b>2.2.1</b>	<b>Label Elements According to Regulation (EC) No. 1272/2008 (CLP)</b>	
	This product does not have a classification according to the CLP regulation.	
	The product is not classified as hazardous according to OSHA GHS regulations within the United States.	
	<b>Hazard</b>	Not Regulated
	<b>Pictogram(s)</b>	
	<b>Hazard Statement(s)</b>	Not Regulated
	<b>Additional information</b>	Safety data sheet available on request.
	<b>Hazard description:</b>	
	<b>WHMIS-symbols:</b>	
	<b>NFPA ratings (scale 0 - 4)</b>	Health = 1 Fire = 0 Reactivity = 0
		
	<b>HMIS-ratings (scale 0 - 4)</b>	Health = *0 Fire = 0 Reactivity = 0
		

# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)




2.3	<b>HMIS Long Term Health Hazard</b>	13463-67-7 titanium dioxide
	<b>Substances</b>	
	<b>Other Hazards</b>	
	<b>Results of PBT and vPvB assessment</b>	PBT: Not applicable. vPvB: Not applicable.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS


#### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous Components:



Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	Index No.	Hazard Pictogram(s)	Hazard Statement(s) and Risk (R) Phrase(s)
aluminium oxide	50-100	1344-28-1	215-691-6	NA	None	substance with a Community workplace exposure limit
manganese dioxide	2,5-10	1313-13-9	215-202-6	025-001-00-3		Xn R22-48/20
						STOT RE 2, H373
						Acute Tox. 4, H302; Acute Tox. 4, H332
diiron trioxide / iron (III) oxide	2,5-10	1309-37-1	215-168-2	NA	None	substance with a Community workplace exposure limit
magnesium oxide	2,5-10	1309-48-4	215-171-9	025-199-09-0	None	substance with a Community workplace exposure limit
titanium dioxide	≤ 2,5	13463-67-7	236-675-5	NA	None	substance with a Community workplace exposure limit

#### Dangerous Components (Alternative Classifications):

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	Hazard Pictogram(s)	Hazard Statement(s) and Risk (R) Phrase(s)
titanium dioxide (classification relevant for USA/Canada only)	≤ 2,5	13463-67-7	236-675-5		Carc. 2, H351

**Additional information:** For the wording of the listed risk phrases refer to section 16.

#### Notable Trace Components (≤ 0,1% w/w):

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	Hazard Pictogram(s)	Hazard Statement(s) and Risk (R) Phrase(s)
cristobalite	≤ 0,1	14464-46-1	238-455-4		Xn R48/20
					Carc. 1A, H350; STOT RE 2, H373

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

**General Information:** No special measures required.

**After Inhalation:** Supply fresh air; consult doctor in case of complaints.

**After Skin Contact:** Brush off loose particles from skin. Wash with soap and water. If skin irritation is experienced, consult a doctor.

# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)

<b>After Eye Contact:</b>	Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
<b>After Swallowing:</b>	Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
<b>4.2 Most Important Symptoms And Effects, Both Acute And Delayed</b>	Slight irritant effect on eyes.
<b>Hazards</b>	No further relevant information available.
<b>4.3 Indication Of The Immediate Medical Attention And Special Treatment Needed</b>	No further relevant information available.

### SECTION 5: FIRE-FIGHTING MEASURES

<b>5.1 Extinguishing Media</b>	
Suitable Extinguishing Media	Use fire extinguishing methods suitable to surrounding conditions.
Unsuitable Extinguishing Media	None.
<b>5.2 Special Hazards Arising From The Substance Or Mixture</b>	No further relevant information available.
<b>5.3 Advice for Fire-Fighters</b>	Wear self-contained respiratory protective device. Wear fully protective suit.
<b>Additional Information</b>	No further relevant information available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal Precautions, Protective Equipment And Emergency Procedures</b>	Avoid formation of dust. For large spills, wear protective clothing. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation
<b>6.2 Environmental Precautions</b>	No special measures required.
<b>6.3 Methods And Material For Containment And Cleaning Up</b>	Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.
<b>6.4 Reference To Other Sections</b>	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 7: HANDLING AND STORAGE

<b>7.1 Precautions For Safe Handling</b>	Any unavoidable deposit of dust must be regularly removed. Use only in well ventilated areas. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Prevent formation of dust.
<b>Information About Fire – and explosion protection</b>	No special measures required.
<b>7.2 Conditions For Safe Storage, Including Any Incompatibilities: Requirements to be Met by Storerooms and Receptacles: Information About Storage in One Common Storage Facility:</b>	No special requirements.  Store away from oxidizing agents. Store away from foodstuffs. Do not store together with acids.

# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)

<b>Further information about storage conditions:</b>	None.
<b>7.3 Specific End Use(s)</b>	No further relevant information available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control Parameters

**Ingredients with limit values that require monitoring at the workplace:**

aluminium oxide	1344-28-1	PEL (USA)	Long-term value: 15*; 15** mg/m <sup>3</sup> *Total dust; ** Respirable fraction
		REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> as Al*Total dust**Respirable/pyro powd./welding f.
		TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction
		EL (Canada)	Long-term value: 1,0 mg/m <sup>3</sup> respirable, as Al
		EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust
manganese dioxide	1313-13-9	PEL (USA)	Ceiling limit: 5 mg/m <sup>3</sup> as Mn
		REL (USA)	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup> as Mn
		TLV (USA)	Long-term value: 0,02* 0,1* mg/m <sup>3</sup> as Mn; *respirable **inhalable fraction
		EL (Canada)	Long-term value: 0,2 mg/m <sup>3</sup> as Mn; R
diiron trioxide / iron (III) oxide	1309-37-1	PEL (USA)	Long-term value: 10* 15** 5*** mg/m <sup>3</sup> *Fume; Rouge: **Total dust, ***respirable
		REL (USA)	Long-term value: 5 mg/m <sup>3</sup> Dust & fume, as Fe
		TLV (USA)	Long-term value: 5* mg/m <sup>3</sup> *as respirable fraction
		EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 5* 10*** 3**** mg/m <sup>3</sup> *dust & fume**fume; Rouge: ***total dust****resp.
		EV (Canada)	Long-term value: 5* 10** mg/m <sup>3</sup> *respirable, including Rouge;**total dust
magnesium oxide	1309-48-4	PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate
		TLV (USA)	Long-term value: 10* mg/m <sup>3</sup> *as inhalable fraction
		EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *inhalable fume;**respirable dust and fume
		EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> inhalable
titanium dioxide	13463-67-7	PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> *total dust
		REL (USA)	See Pocket Guide App. A
		TLV (USA)	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC
		EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust;**respirable fraction; IARC 2B
		EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust



# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)

<b>DNELs</b> No further relevant information available.		
<b>PNECs</b> No further relevant information available.		
<b>Additional information:</b> The lists valid during the making were used as basis.		
<b>8.2</b>	<b>Exposure Controls</b>	
<b>8.2.2</b>	<b>Personal Protective Equipment:</b>	
	<b>General protective and hygienic measures:</b>	The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing. Keep away from foodstuffs, beverages and feed.
	<b>Respiratory Protection</b>	Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable.
	<b>Eye Protection</b>	Wear safety glasses.
	<b>Protection of Hands</b>	Wear protective gloves.
	<b>Body Protection</b>	Not required under normal conditions of use. Protection may be required for spills.
	<b>Limitation and supervision of exposure into the environment</b>	No further relevant information available.
	<b>Risk Management Measures</b>	No further relevant information available. See Section 7 for additional information.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>9.1</b>	<b>Information On Basic Physical And Chemical Properties</b>		
Appearance	Solid	Color	Yellow-brown
Odor	Odourless	Odor Threshold (ppm)	Not available
Melting Point (°C) / Freezing Point (°C)	>2012°F/ >1100 °C	Boiling Point/Boiling Range (°C)	>3632 °F/ >2000 °C
Flash Point (°C)	No Data	Explosive Limit Ranges	Not available
Auto Ignition Temperature (°C)	Not available	Decomposition Temperature (°C)	Not available
Explosive Properties	None	Oxidizing Properties	Not available
Flammability (Solid, Gas)	Not available	Ph (Value)	Not available
Evaporation Rate	N/A	Vapor Pressure (mm Hg)	Not available
Vapor Density (Air=1)	N/A	Density (g/ml)	2,5 g/cm <sup>3</sup>
Solubility (Water)	Insoluble	Solubility (Other)	Not available
Partition Coefficient (N-Octanol/Water)	Not available	Viscosity (mPa.s)	Not available
<b>9.2</b>	<b>Other Information</b> Volatile Organic Chemical (VOC) Content – Not Available.		

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1</b>	<b>Reactivity</b>	
<b>10.2</b>	<b>Chemical Stability</b>	
	<b>Thermal Decomposition / conditions to be avoided:</b>	No decomposition if used according to specifications.
<b>10.3</b>	<b>Possibility of Hazardous Reactions</b>	Reacts with strong acids and alkali. Reacts with strong oxidising agents.
<b>10.4</b>	<b>Conditions To Avoid</b>	Prevent formation of dust. Store away from oxidising agents. Avoid acids.

# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)

<b>10.5 Incompatible Materials</b>	No further relevant information available.
<b>10.6 Hazardous Decomposition Product(s)</b>	Possible in traces.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### LD/LC50 values relevant for classification:

#### 1309-37-1 diiron trioxide / iron (III) oxide

Oral	LD50	>5000 mg/kg	(rat)
------	------	-------------	-------

#### 11.1 Information on Toxicological Effects

##### Acute toxicity:

##### Primary Irritant Effect:

##### On the skin:

No irritant effect.

##### On the eye:

Slight irritant effect on eyes.

##### Sensitisation:

No sensitizing effects known.

##### CMR effects (carcinogenicity, mutagenicity, and toxicity for reproduction):

Contains known or suspect carcinogens when inhaled.

Product is in non-inhalable form and is nonclassifiable as a carcinogen.

### SECTION 12: ECOLOGICAL INFORMATION

<b>12.1 Toxicity</b>	No data
<b>Aquatic toxicity:</b>	The product contains materials that are harmful to the environment.
<b>12.2 Persistence and Degradability</b>	No further relevant information available.
<b>12.3 Bioaccumulative Potential</b>	No further relevant information available.
<b>12.4 Mobility in Soil</b>	No further relevant information available.
<b>Additional ecological information:</b>	
<b>General notes:</b>	Not known to be hazardous to water.
<b>12.5 Results of PBT and vPvB Assessment</b>	<b>PBT:</b> Not applicable. <b>vPvB:</b> Not applicable.
<b>12.6 Other Adverse Effects</b>	No further relevant information available.

### SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1 Waste Treatment Methods Recommendation</b>	Smaller quantities can be disposed of with household waste. Contact manufacturer for recycling information. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
<b>Uncleaned Packaging: Recommendation:</b>	Disposal must be made according to official regulations.

### SECTION 14: TRANSPORT INFORMATION

Land Transport (ADR/RID) (c)(d)		Land Transport (Within USA) (b)(d)	
UN Number	None	UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None	Transport Hazard Class(es)	None
Packing Group	None	Packing Group	None

# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)

Hazard Label(s)	None	Hazard Label(s)	None
Environmental Hazards	None	Environmental Hazards	None
Special Precautions For User	None	Special Precautions For User	None
<b>Sea Transport (IMDG) (c)</b>		<b>Air Transport (ICAO/IATA) (c) (d)</b>	
UN Number	None	UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None	Transport Hazard Class(es)	None
Packing Group	None	Packing Group	None
Marine Pollutant	None	Marine Pollutant	None
Special Precautions For User	None	Special Precautions For User	None

(b)- ORM-D may be applicable within the USA for package sizes less than 30kg.  
(c)- Consult with transport provider.  
(d)- Check relevant regulations for Special Provisions.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, Health And Environmental Regulations/Legislation Specific For The Substance Or Mixture

##### USA

##### SARA

Section 355 (extremely hazardous substances)

None of the ingredients are listed.

SARA 313 (Specific toxic chemical listings)  
TSCA (Toxic Substance Control Act)

1344-28-1 aluminium oxide  
All ingredients are listed.

##### Proposition 65 (California):

Chemicals known to cause cancer:

References to chemical components listed below are based on unbound respirable particles and are not generally applicable to product as supplied.  
13463-67-7 titanium dioxide

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

##### Carcinogenic Categories

EPA (Environmental Protection Agency)

1313-13-9 manganese dioxide

IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

1309-37-1 diiron trioxide / iron (III) oxide

13463-67-7 titanium dioxide

##### TLV (Threshold Limit Value established by ACGIH)

1344-28-1 aluminium oxide

1309-37-1 diiron trioxide / iron (III) oxide

1309-48-4 magnesium oxide

13463-67-7 titanium dioxide

##### MAK (German Maximum Workplace Concentration)

1344-28-1 aluminium oxide

13463-67-7 titanium dioxide

3  
3  
2B  
A4  
A4  
A4  
A4  
2  
3A

# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)

<b>NIOSH-Ca (National Institute for Occupational Safety and Health) Canada</b>	14464-46-1 cristobalite 13463-67-7 titanium dioxide	1
Canadian Domestic Substances List (DSL)	All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	None of the ingredients are listed.	
Canada Ingredient Disclosure list (limit 1%)	1344-28-1 aluminium oxide 7631-86-9 silicon dioxide, chemically prepared 1309-37-1 diiron trioxide / iron (III) oxide 1309-48-4 magnesium oxide	
<b>Other regulations, limitations and prohibitive regulations</b>		
Substances of very high concern (SVHC) according to REACH, Article 57	None of the ingredients are listed.	

<b>15.2 Chemical Safety Assessment</b>	A Chemical Safety Assessment has not been carried out.
--	--

## SECTION 16: OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Additional information:

- The accumulation of airborne dust particles may lead to health and safety risks in some cases. The use of good industrial practices will mitigate this risk.
- The health risks from inhalation of dust particles vary; this is due to particle concentration, exposure length, number of exposures and type of particles inhaled. Please read Section 2,4,6,7 and 8 of the SDS to understand these potential risks. Wear personal protective equipment and follow storage and handling procedures to maintain a safe workplace.
- In rare instances, combustible dusts may represent a potential explosion hazard when airborne. This hazard is often associated with organic dust such as foodstuffs and coal, but may also occur with mineral products. While the majority of our products would be considered non-combustible, the overall airborne environment should be considered when determining the need for mitigation from the potential hazard. Consult recognized experts when necessary in order to determine any possible hazard.

Please read the SDS for specific information concerning these hazards, and contact us with any further questions. We appreciate your continued business.

### Relevant phrases

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

R22 Harmful if swallowed.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)



# Safety data sheet

Printing date: 17.11.2014

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),  
and US GHS

Revision: 17.11.2014

## **Duramedia 120, 120C, 140, HAD, Duralum XMS, Duralum XM (See Page 1)**

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

### **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)